

## CUMULATIVE INDEX 1999

### Volume 15

---

January	PERSPECTIVES IN PAIN MANAGEMENT, pages 1-233
April	ENVIRONMENTAL EMERGENCIES, pages 235-479
July	COMPUTER APPLICATIONS IN CRITICAL CARE MEDICINE, pages 481-665
October	ENDOVASCULAR THERAPY AND NEUROCRITICAL CARE, pages 667-869

---

Note: Page numbers of article titles are in **boldface** type

- Absorption, drug, in pain management, 60  
 Abstract discharge database, 469  
 Accidental hypothermia, **235-249**. See also *Hypothermia, accidental*.  
 Acclimatization, 254  
 Acid-base balance, labor and delivery effects on, 203  
 Active core rewarming, for accidental hypothermia, 244-246  
 Active external rewarming, for accidental hypothermia, 244  
 Active rewarming, for accidental hypothermia, 244  
 Acute brain ischemia, nonthrombolytic approach to, **755-776**. See also *Brain ischemia, acute, nonthrombolytic approach to*.  
 Acute mountain sickness, 272-273  
 Acute pain service, **143-150**  
   need for, 143-144  
   special considerations, 148-149  
 Acute physiology and chronic health evaluation system II (APACHE II), 635-636  
 Acute physiology and chronic health evaluation system III (APACHE III), 636  
 Acute renal failure, ketorolac and, 99  
 Adrenergic response, labor and delivery effects on, 203-204  
 Adverse drug events (ADEs), costs and consequences of, in hospitalized patients, 510  
 Affective measures, in subjective evaluation of pain, 43-45  
 Agitation, treatment, 125-126  
 Alcoholics, rhabdomyolysis in, 420-421  
 Algorithm(s), development of, 531-540  
   abandonment of personal clinician style in, 539-540  
   application at point of care, 534  
   around-the-clock protocol support in, 539  
   availability of accurate, precise, timely, and representative data in, 534-535  
   caveats of, 540-541  
   clinician refusal to follow instructions in, reasons for, 535-536  
   clinician benefit in, 531-532  
   clinician involvement in, 531-532  
   credible clinical leadership in, 531  
   explicit and executable instructions in, 534  
   explicit logic, rules, and thresholds for variables in, 532-533  
   iterative refinement in, 536  
   limitations of, 540-541  
   outcomes of, 533-534  
   satisfactory performance of robust product in, 538-539  
   simplicity of, 536-537  
 Altitude, high, asthmatic effects of, 277  
 cardiovascular response to, 271-272  
 control of breathing at, 268  
 medical conditions affected by, 277  
 physics of, 266  
 pulmonary disorders due to, 272-277  
 pulmonary function changes in response to, 271

- Altitude (*Continued*)  
 pulmonary physiologic responses to, 266-268  
 sleep disturbances at, 268-269  
 ventilatory response to, 267-268  
 Altitude-related pulmonary disorders, 265-280. See also *Altitude, high*;  
*Pulmonary disorders, altitude-related*.
- Amebiasis, 392
- Analgesia, epidural. See *Epidural analgesia*.  
 extradural, for pain management in pediatric ICU, 195-197  
 for pain, adjuncts to, 119-141  
 epidural analgesia. See *Epidural analgesia*.  
 patient-controlled analgesia. See *Patient-controlled analgesia*.  
 preemptive analgesia, 146-147  
 for trauma and burns, 167-184. See also *Burn(s), analgesia for*; *Trauma, analgesia for*.  
 influence on stress response, 8-9  
 interpleural, for pain control in ICU, 81-82  
 intrathecal, for pain, 105-118. See also *Intrathecal analgesia, for pain*.  
 intravascular, patient-controlled, during labor and delivery, 214  
 intravenous, 89-104. See also *Intravenous analgesia*.  
 pain and, 10-13  
 patient-controlled, epidural, during labor and delivery, 213-214  
 for pain, 147  
 in pediatric ICU, 194-195  
 intravenous, for trauma, 172-173  
 regional, and chest trauma, 177-180  
 spinal, continuous, during labor and delivery, 213  
 spinal-epidural, during labor and delivery, 212-213  
 techniques, types, 159-163
- Analgesic(s), opioid narcotic, in pain management, 62-66
- Anesthesia Intensive Care-LIST (AIC-L), 607-608
- Anesthesia/anesthetics, effects on postoperative pulmonary dysfunction, 156  
 intrathecal local, for pain, 109  
 local, for pain, 159-163  
 regional, for pain control in ICU, 77-88  
 continuous plexus blockade, 83-86  
 femoral nerve block, 86-87  
 intercostal nerve block, 78-81  
 interpleural analgesia, 81-82  
 paravertebral block, 82-83  
 for trauma, 173-175
- Aneurysm(s), ruptured, angiographic assessment, 671  
 early intensive care and stabilization for, 670  
 endovascular therapy for, 671-679  
 Guglielmi Detachable Coils in, 671-679. See also *Guglielmi Detachable Coils, in endovascular treatment of ruptured aneurysms*.  
 intraprocedural critical care, 679-680  
 medical complications, 680-681  
 neurologic complications, 681-682  
 periprocedural critical care, 680-682  
 initial clinical presentation, 668  
 initial evaluation and diagnosis, 669-670  
 neurointensive care for, 668-670  
 treatment, 667-684  
 endovascular, 671-679. See also *Aneurysm(s), ruptured, endovascular therapy for*.  
 traumatic, endovascular therapy for, ad, 813-815  
 vasospasms due to, endovascular therapy for, 685-699. See also *Vasospasm, aneurysmal, endovascular therapy for*.
- Angiography, in ruptured aneurysm assessment, 671
- Angioplasty, balloon, for aneurysmal vasospasm, 695-696  
 for traumatic carotid-cavernous fistulas, 841-846  
 in acute brain ischemia, 763-766  
 for vertebrobasilar circulation ischemia, 737-739  
 immediate, for aneurysmal vasospasm, 694  
 intracranial, thrombolysis for, 711-712
- Anthrax, 392, 395
- Anticoagulation therapy, during labor and delivery, 217-218
- Anti-inflammatory drugs, nonsteroidal (NSAIDs), for pain management in pediatric ICU, 192-193  
 for trauma, 171-172  
 mechanism of action of, 192  
 side effects, 192-193
- Anxiolytic(s), for pain, 121-122
- Aortic stenosis, pregnancy and, 223-224
- APACHE II, 635-636
- APACHE III, 636
- ARKS, 567-568
- Arrhythmia(s), electrical and lightning injuries and, 323
- Arterial blood gas(es), accidental hypothermia effects on, 239-240
- Arthropodborne viruses, 395-396
- Aspirin, during labor and delivery, 218
- Asthma, altitude effects on, 277

- Babesiosis, 396-397
- Balloon angioplasty, for aneurysmal vasospasm, 695-696
- for traumatic carotid-cavernous fistulas, 841-846
- in acute brain ischemia, 763-766
- Barotrauma, 429-432
- dental, 432
- external-ear, 430
- gastrointestinal, 432
- inner-ear, 431
- mask, 430
- middle-ear, 430-431
- otic, 430-431
- pulmonary, 430
- sinus, 431-432
- Bartonella* sp., waterborne and wilderness infections due to, 397
- Baseline data, in clinical management database, 489
- Basilar artery occlusion, natural history of, 721-723
- Behavior(s), carbon monoxide effects on, 308
- pain perception and, factors affecting, 38-39
- objective evaluation, 46-47
- Behavioral techniques, for pain management in pediatric ICU, 187-188
- Benchmarking, defined, 484, 494-495
- in clinical management database, 484, 494-495
- Benzodiazepine(s), for pain, 122-123
- Bias, lead time, defined, 640-641
- Bispectral analysis, in objective evaluation of pain, 48-49
- Blastomycosis, 397-398
- Blood sugar, accidental hypothermia effects on, 240
- Blood urea nitrogen, accidental hypothermia effects on, 240
- Brain ischemia, acute, background of, 756-758
- neuroendovascular rescue for, balloon angioplasty in, 763-766
- direct mechanical disruption in, 763
- drugs in, 771
- embolectomy in, 766, 771
- future techniques in, 771
- general procedural technique, 762-763
- technical aspects of, 762-771
- neurointensive care support for, 759-762
- intraprocedural management, 760-761
- postprocedural management, 761-762
- preprocedural care, 759-760
- nonthrombolytic approach to, 755-776
- principles of, 758
- Bronchitis, high-altitude, 276
- Bronchospasm, ketorolac and, 101
- Brucellosis, 398
- Burn(s), 321-322
- analgesia for, 180-181
- following radiation injuries, 469-470
- hypermetabolic response to, 340-342
- management, 342-346
- acute, 333-338
- CANDI, 568
- Carbon monoxide poisoning, 297-317
- behavioral effects of, 308
- carboxyhemoglobin elimination in, 302-303
- causes, 300-301
- clinical manifestations, 301-302
- incidence, 300-301
- long-term outcome following, 308-310
- pathophysiology, 303-306
- prevention, 310-311
- randomized clinical trials of, 306-308
- treatment, 306
- Carboxyhemoglobin elimination, 302-303
- Cardiac bypass surgery, mechanical ventilation withdrawal following, 525
- Cardiac disease, and pregnancy, 220-225
- Cardiomyopathy, peripartum, pregnancy and, 224-225
- Cardiovascular system, accidental hypothermia effects on, 237-239
- altitude effects on, 271-272
- labor and delivery effects on, 204-205
- near drowning effects on, 285
- Carotid circulation ischemia, acute, clinical features, 701-702
- emergency-room assessment, 705-706
- emergent stroke evaluation in, 705-707
- intra-arterial thrombolysis for, 701-718
- blood pressure management, 706, 716-717
- complications, 714-716
- future considerations in, 717
- medical considerations in, 706-707
- results, 707-710
- special considerations with, 711-714
- technical considerations in, 702-705
- vs. intravenous thrombolysis, 707
- postthrombolysis management, 715-716
- Carotid occlusion, thrombolysis for, 711
- Carotid-cavernous fistulas, traumatic, diagnosis, 837-840
- endovascular therapy for, 831-854
- coils, 847
- detachable balloon, 841-846
- ophthalmic vein exposure approach to, 847-849
- techniques, 841-849

- Carotid-cavernous fistulas (*Continued*)  
 natural history of, 840  
 origin of, 833  
 signs and symptoms, 833-837  
 treatment, 841
- Case mix, defined, 640
- Cavernous sinus, anatomy of, 832-833
- CCM-L (Critical Care Medicine-LIST), 607
- Census data, 625
- Central hospital laboratory, point-of-care testing in, 578
- Central nervous blockade, coagulopathy and, 216-218
- Central nervous system (CNS), accidental hypothermia effects on, 237  
 electrical and lightning injuries effects on, 324  
 near drowning effects on, 285-286
- Cerebral arteries, extracranial, traumatic injuries of, endovascular therapy for. *See also Extracranial cerebral arteries, traumatic injuries of, endovascular therapy for.*  
 endovascular therapy of, 789-809  
 intracranial, traumatic injuries of, endovascular therapy for, 811-829. *See also Intracranial cerebral arteries, traumatic injuries of, endovascular therapy for.*
- Charcoal, asphyxiation of, 298-300
- Chest trauma, regional analgesia and, 177-180
- Children, subjective evaluation of pain in, 45
- Chronic mountain sickness, 276-277
- Circulatory support, for accidental hypothermia, 243
- Clinical decision support systems (CDSSs), components and uses of, 506-509
- Clinical information systems (CISs), features of, 512-518
- Clinical management database, 481-497  
 baseline data in, 489  
 database selection in, 491-495  
 analytic functions, 492  
 availability of preprogrammed scoring systems in, 492-494  
 benchmarking in, 494-495  
 costs of, 494  
 currently available databases, 495, 496  
 data entry requirements, 491  
 technical requirements, 494  
 data-collection process in, 489-490  
 defined, 482  
 in evaluation of quality, 483-485  
 resource utilization in, 485-487  
 setting goals in, 488-489
- Clinical practice, errors in, reduction of, computers in, 525-527
- Clinical thinking, stress response and, 18-19
- Clinical trial data, 623, 627-628
- CNS. *See Central nervous system (CNS).*
- Coagulation, accidental hypothermia effects on, 239
- Coagulation profile, accidental hypothermia effects on, 240
- Coagulopathy, and central nervous blockade, during labor and delivery, 216-218
- Coccidioidomycosis, 398-399
- Codeine, for pain management in pediatric ICU, 191
- COMMES/PACE, 567
- Complete blood count, accidental hypothermia effects on, 240
- Computer(s), as analyst, 553-560  
 as scribe, 556-557  
 as "watcher," 555  
 closing loop with, 552-553
- Computer-assisted test interpretation, 569
- Computerized displays, 553-555
- Computerized flowcharts, 642
- Computerized physiologic monitoring, 547-562  
 computerized displays, 553-555  
 principles of, 550-557  
 recommendations for, 560  
 requirements for, 558  
 single system physiologic monitors in, 555-556
- Computerized protocols, and bedside decision support, 523-545  
 algorithm development in, 530-540.  
*See also Algorithm(s), development of.*  
 reduction of unnecessary variation in, 527-530  
 error reduction in clinical practice caused by, 525-527
- Computerlink, 569
- Conn's neurologic classification system, 291
- Continuous plexus blockade, for pain control in ICU, 83-86
- Continuous spinal analgesia, during labor and delivery, 213
- Corticosteroid(s), for gas bubble disease, 445
- Cramp(s), heat, 255
- Creatinine, accidental hypothermia effects on, 240
- Crotalidae snakebite, 354-369  
 clinical diagnosis, 359  
 clinical manifestations, 355-357  
 diagnosis, 357-359  
 differential diagnosis, 357  
 laboratory diagnosis, 359  
 pathophysiology, 354-355  
 prognosis, 368-369  
 research and development of new crotalid antivenin for, 369

- treatment, 359-368  
 administrative antidote, 363-368  
 hospital care, 361-363  
 immediate, 361  
 "CU-SEEME," 598-599
- Data, baseline, in clinical management database, 489
- Data registries, 622, 626
- Database(s), clinical management, **481-497**.  
 See also *Clinical management database*.  
 large-scale, in outcome measurements, **615-631**. See also *Large-scale databases, in outcome measurements*.
- Data-collection process, in clinical management database, 489-490
- Decision analysis, assessment of diagnostic efficacy in, 655-657  
 basics of, 648-649  
 cost-effectiveness of, 657  
 cost-utility analysis in, 657  
 decision tree in, 650-651  
 multiple outcomes of, 657  
 expanded trees and scenarios in, 655-660  
 generic example of, 651-653  
 in critical care medicine, **647-661**  
 Markov models in, 658-660  
 multiple states of health in, 655  
 sensitivity analysis in, 653-655  
 multivariate, 654-655  
 univariate, 653-654  
 software in, 658-660  
 threshold analysis in, 653-655  
 time dependency in, 658-660
- Decision support products, 529
- Decision support systems, computerized, for clinical practice guideline, 569-570  
 model-based, 568-570  
 abstract discharge database, 469  
 computer-assisted test interpretation, 569  
 Computerlink, 569  
 MAUD, 568-570
- Decision tree, 650-651
- Delayed ischemic neurologic deficit, aneurysmal vasospasm and, 686-687
- Dental barotrauma, 432
- Depression, treatment, 126-129
- Diaphragmatic dysfunction, 154-155
- Diazepam, for pain, 122
- Disseminated intravascular coagulation (DIC), during labor and delivery, 217
- Distribution, drug, in pain management, 60-61
- Diving emergencies, **429-456**. See also specific emergency, e.g., *Barotrauma*.  
 barotrauma, 429-432  
 gas bubble disease, 432-447  
 hydrostatic pressure in, effects of, 448  
 immersion pulmonary edema, 447  
 increased partial pressures of gases in, pharmacological and toxic effects of, 447-448  
 return to diving following, 449  
 treatment, **429-456**
- Doppler ultrasonography, transcranial, in aneurysms/vasospasm diagnosis, 687-699
- Drawing(s), in subjective evaluation of pain, 43
- Drowning, near, **281-296**. See also *Near drowning*.  
 prevalence, 283  
 secondary, defined, 282
- Drug(s), for hypermetabolic response, 341-342  
 in pain management, 55-75. See also *Pain, management, pharmacokinetic considerations in*.
- Dural sinus thrombosis (DST), **743-753**  
 clinical presentation, 745  
 diagnosis, 745-746  
 endovascular therapy for, technique, 750-751  
 epidemiology, 744  
 pathophysiology, 744-745  
 treatment, 746-748  
 heparin, 748  
 thrombolytic agents, 748
- Edema, heat, 256  
 pulmonary. See *Pulmonary edema*.
- EEG. See *Electroencephalography (EEG)*.
- Elapidae snakebite, 369-371  
 clinical manifestations, 369-370  
 diagnosis, 370  
 disposition for, 371  
 pathophysiology, 369  
 prognosis, 371  
 treatment, 370-371  
 hospital, 370-371  
 new antivenin, 371  
 prehospital, 370
- Electrical injuries, **319-331**  
 arrhythmias due to, 323  
 burns, 321  
 cardiac effects, 323-324  
 CNS effects, 324  
 epidemiology, 319-320  
 management, 325-328  
 musculoskeletal effects, 325  
 myocardial damage due to, 323-324  
 ophthalmologic effects, 325  
 otologic effects, 325  
 pathophysiology, 320-321

- Electrical injuries (*Continued*)  
 vascular effects, 322  
 visceral effects, 324-325
- Electrocardiography (ECG), abnormalities in, accidental hypothermia effects on, 241
- Electroencephalography (EEG), in objective evaluation of pain, 48-49
- Electrolyte(s), abnormalities of, rhabdomyolysis and, 422-423  
 serum, accidental hypothermia effects on, 240
- Electronic clinical data, 622, 626
- Electronic flowcharts, 642
- Electronic mail (e-mail), accessing of, 595
- Electronic medical records (EMRs), in ICU, 499-522  
 advantages of, 501  
 alarms of, 509-510  
 alert systems of, 509-510  
 clinical applications of, 514-518  
 data acquisition and retrieval in, 503-505  
 effect of decision support on costs of, 510-511  
 feedback systems of, 509-510  
 hardware, software, and system architecture of, 513-514  
 improved information access and improved documentation associated with, 501-503  
 power of, 505-511  
 problems associated with, 500-503  
 user acceptance of, 511-512  
 uses of, 501, 514-518
- Elimination, drug, in pain management, 61-62
- Embolectomy, in acute brain ischemia, 766, 771
- EMRs. See *Electronic medical records (EMRs)*.
- Encounter datasets, 621, 622
- Endovascular therapy, dural sinus thrombosis, 743-753. See also *Dural sinus thrombosis (DST)*, *endovascular therapy* for.  
 for aneurysmal vasospasm, 685-699. See also *Vasospasm*, *aneurysmal*, *endovascular therapy* for.  
 of basilar occlusion, 727-737  
 of ruptured aneurysms, 667-684. See also *Aneurysm(s)*, *ruptured*, *treatment*.  
 of traumatic carotid-cavernous fistulas, 831-854. See also *Carotid-cavernous fistulas*, *traumatic*, *endovascular therapy* for.  
 of traumatic injuries of extracranial cerebral arteries, 789-809  
 of traumatic injuries of intracranial cerebral arteries, 811-829. See also *Intracranial cerebral arteries*, *traumatic injuries of*, *endovascular therapy* for.
- End-stage liver disease, opioid narcotic analgesic effects on, 69-71
- Enrollment data, 622, 625
- Envenomation(s), 353-386. See also specific type.  
 scorpion, 377-380. See also *Scorpion envenomation*.  
 snake, 353-371. See also *Snake envenomation*.  
 spider, 372-377. See also *Spider envenomation*.
- Environmental radiation releases, types, 459-460
- Epidural analgesia, during labor and delivery, 207-210  
 for pain, 109-112, 147-148, 159-163  
 patient-controlled, during labor and delivery, 213-214
- Epidural catheter placement, technique, 112-114
- Ethical issues, in near-drowning victims' treatment, 292
- Exercise, rhabdomyolysis in, 418-420
- Exhaustion, heat, 256-257
- External irradiation, clinical effects, 460-462
- External-ear barotrauma, 430
- Extracranial cerebral arteries, traumatic injuries of, clinical features, 790-791, 792-793  
 diagnostic evaluation, 793-794  
 endovascular therapy for, 789-809  
 angioplasty and stenting, 801-803  
 current clinical approach to, 793-795  
 historical background, 790-793  
 in search of true lumen, 801  
 preprocedural care, 803-806  
 principles of, 795-797  
 technical aspects of, 798-803  
 technique, 798-801  
 epidemiology, 790-791  
 intraprocedural management, 806-807  
 pathologic features, 791-792  
 postprocedural management, 807  
 treatment, options for, 794-795
- Extradural analgesia, for pain management in pediatric ICU, 195-197
- Eye(s), electrical and lightning injuries effects on, 325
- Femoral nerve block, for pain control in ICU, 86-87
- Fentanyl, in pain management, 65  
 in pediatric ICU, 191

- Fever, typhoid, 406  
vs. hyperthermia, 254
- File transfer protocol (ftp), accessing of, 598
- Fistula(s), carotid-cavernous, traumatic, endovascular therapy for, **831-854**. See also *Carotid-cavernous fistulas, traumatic, endovascular therapy for*, 815-816
- FLEXPART, 568
- Flowcharts, electronic, 642
- Fluid and electrolyte imbalance, ketorolac and, 98-99
- Fluid resuscitation, thermal injuries and, 336-338
- Fracture(s), long bone, of leg, intrathecal and epidural analgesia for, 115-116  
pelvic, intrathecal and epidural analgesia for, 115-116  
rib, multiple, intrathecal and epidural analgesia for, 114-115
- Gas bubble disease, 432-447  
diagnosis, 433-435  
differential diagnosis, 435-436  
pathophysiology, 432-433  
signs and symptoms, 433-435  
treatment, 436-447  
adjunctive, 445  
clinical course of, 446-447  
immediate, 436-447  
pharmacotherapy, 445-446  
recompression, 437-445
- Gastrointestinal barotrauma, 432
- Gastrointestinal system, accidental hypothermia effects on, 239
- Gastrointestinal tract, ketorolac effects on, 99-100  
opioid effects on, 92-93
- Glasgow Coma Scale (GCS), 637
- Guglielmi Detachable Coils, in endovascular treatment of ruptured aneurysms, 671-679  
history of, 671-672  
indications, 672-674  
results, 678-679  
technique, 674-678
- Hantaviruses, 399
- HAPE. See *High-altitude pulmonary edema (HAPE)*.
- Health Care Financing Administration (HCFA), 621
- Heart, electrical and lightning injuries effects on, 323-324
- Heat, prickly, 256
- Heat cramps, 255
- Heat edema, 256
- Heat exhaustion, 256-257
- Heat gain, 252
- Heat loss, 252
- Heat syncope, 255-256
- Heat tetany, 255
- Heat-related illnesses, **251-263**  
clinical manifestations, 255-257  
epidemiology, 251  
minor, 255-257  
pathophysiology, 251-254  
predisposing factors to, 254-255  
prevention, 262
- Heatstroke, 257-262  
clinical manifestations, 258-260  
methods of cooling, 260-262  
rhabdomyolysis and, 423-424  
types, 257-258
- Hemodynamic instability, opioids and, 90-91
- Hemostatic impairment, ketorolac and, 100-101
- Heparin, during labor and delivery, 217-218  
for deep venous thrombosis, 748
- High altitude. See *Altitude, high*.
- High-altitude bronchitis (HAB), 276
- High-altitude pulmonary edema (HAPE), 273-276  
clinical features, 274  
definitions related to, 273  
diagnosis, 274  
history of, 273  
incidence, 273  
morbidity associated with, 276  
mortality associated with, 276  
pathophysiology, 274-275  
prevention, 275-276  
treatment, 275-276
- High-altitude simulation test (HAST), 277
- High-pressure nervous syndrome (HPNS), 448
- High-quality care, defined, 633-634
- Histoplasmosis, 399-400
- Hydromorphone, in pain management, 66
- Hydrostatic pressure, effects in diving emergencies, 448
- Hypermetabolic response, to burn, 340-342  
physiologic basis of, 340-342
- Hypertext Markup Text Language (HTML), 606
- Hyperthermia, vs. fever, 254
- Hypobaric hypoxia, pulmonary vascular responses to, 269-271
- Hypothermia, accidental, **235-249**  
circulatory support for, 243  
clinical manifestations, 237-239  
diagnosis, 237-241  
epidemiology, 236-237

Hypothermia (*Continued*)

- initial stabilization in, 242
- laboratory evaluations, 239-241
- management, 241-246
- prevention, 247
- prognosis, 246
- rewarming methods for, 243-246
- volume resuscitation for, 242-243
- causes, 236
- defined, 235
- Hypothermic retrograde transvenous neuroperfusion, 787
- Hypoxia, hypobaric, pulmonary vascular responses to, 269-271

ICU. See *Intensive care unit (ICU)*.

## Immediate angioplasty, for aneurysmal vasospasm, 694

## Immersion pulmonary edema, 447

## Immersion syndrome, defined, 282

## Infection(s). See also specific type.

- following radiation injuries, control of, 468-469

## rhabdomyolysis, 421-422

## waterborne, 387-414

## wilderness, 387-414

## Inflammatory states, pain due to, 6-7

## Informatics, nursing, 563-576. See also

*Nursing informatics*.

- point-of-care testing, 577-591. See also *Point-of-care testing*.

## Information resources, access to, 567-568

## ARKS, 567-568

## CANDI, 568

## COMMES/PACE, 567

## FLEXPERT, 568

## MAUD, 568-570

## Inhalation injury, 338-340

## diagnosis, 339-340

## management, 340

## pathophysiology, 338-339

## Injury Severity Score (ISS), 637

## Inner-ear barotrauma, 431

## Intensive care unit (ICU), EMRs in,

- 499-522. See also *Electronic medical records (EMRs)*, in ICU.

## following thrombolysis, 715-716

## ketamine in, 94-95

## ketorolac in, advantages of, 98

## near-drowning victims in, 288-290

## opioid narcotic analgesics in, risks of, 69-71

## pediatric, pain management in, 185-200.

- See also *Pain, management, in pediatric ICU*.

## stress response in, 26-31

## Intercostal nerve block, for pain control in ICU, 78-81

## Internal irradiation, clinical effects, 464-465

## Internet, clinical pathways and, 611-613

## clinicians and, 606-607

## critical care and, 605-614

## described, 605-606

## future of, 613

## problems associated with, 609-610

## regulation and, 610-611

## Interpleural analgesia, for pain control in ICU, 81-82

## Intra-arterial thrombolysis, for carotid

## circulation ischemia, 701-718. See also

*Carotid circulation ischemia, intra-arterial thrombolysis for*.

- for vertebrobasilar circulation ischemia, 719-742. See also *Vertebrobasilar circulation ischemia, intra-arterial thrombolysis for*.

## Intracranial angioplasty, thrombolysis for, 711-712

## Intracranial cerebral arteries, traumatic

- injuries of, endovascular therapy for, 811-829

## case studies, 819-822

## dissections in, 812-813

## materials in, 816-817

## neurocritical care aspects of, 822-826

## patient history in, 816

## procedures, 817-819

## epidemiology, 812-816

## pathology, 812-816

## Intrathecal analgesia, for pain, 105-118

## development of, 105-108

## in pediatric ICU, 195-197

## Intrathecal opioids, during labor and

## delivery, 210-212

## for pain, 109

## Intravascular analgesia, patient-controlled,

## during labor and delivery, 214

## Intravenous analgesia, 89-104

## ketamine, 93-97

## ketorolac, 97-101

## Intravenous patient-controlled analgesia

## (IV-PCA), for trauma, 172-173

## Intravenous thrombolysis, for carotid

## circulation ischemia, 707

## Ischemia, brain, acute, nonthrombolytic

- approach to, 755-776. See also *Brain ischemia, acute, nonthrombolytic approach to*.

carotid circulation, intra-arterial thrombolysis for, 701-718. See also *Carotid circulation ischemia, intra-arterial thrombolysis for*.vertebrobasilar circulation, intra-arterial thrombolysis for, 719-742. See also *Vertebrobasilar circulation ischemia, intra-arterial thrombolysis for*.



- Joint Commission on Accreditation of Healthcare Organizations (JCAHO), 483
- Ketamine, contraindications, 97  
for pain, 93-97  
hemodynamic considerations with, 95  
ICU experience with, 94-95  
pharmacokinetics, 93-94  
pulmonary considerations with, 96-97
- Ketorolac, acute renal failure due to, 99  
bronchospasm due to, 101  
fluid and electrolyte imbalance due to, 98-99  
for pain, 97-101  
gastrointestinal complications, 99-100  
hemostatic impairment due to, 100-101  
in ICU, advantages of, 98  
toxicity of, 98-101
- Kidney(s), accidental hypothermia effects on, 239
- Labor and delivery, cardiovascular system effects of, 204-205  
pain pathways during, 206-207  
physiologic changes during, 201-207  
respiratory system effects of, 201-204
- Large-scale databases, in outcome measurements, **615-631**  
accuracy of, 619-620  
annual zip code enrollment file, 625  
appropriateness of, 620  
census data, 625  
clinical trial data, 623, 627-628  
data registries, 622, 626  
electronic clinical data, 622, 626  
enrollment data, 622, 625  
evaluation of, criteria for, 619-620  
feasibility of, 619  
future implications of, 628-629  
national minimal ICU datasets, 623, 628  
performance data, 622, 627  
prospective cohort data, 628  
results of, validity of, 618-619  
sources for, data sources, 620  
  encounter data, 621, 622  
  federal government and Medicare data, 621-622  
  Medicaid data file, 624  
  private insurance claims, 624-625  
  state hospital discharge databases, 624  
  sources of, 620-625  
  survey data, 623, 626
- Lead time bias, defined, 640-641
- Leg(s), long bone fractures of, intrathecal and epidural analgesia for, 115-116
- Leptospirosis, 400
- Lidocaine, for gas bubble disease, 445-446
- Lightning injuries, **319-331**  
arrhythmias due to, 323  
  burns, 321  
  cardiac effects, 323-324  
  CNS effects, 324  
  epidemiology, 319-320  
  management, 325-328  
  musculoskeletal effects, 325  
  myocardial damage due to, 323-324  
  ophthalmologic effects, 325  
  otologic effects, 325  
  pathophysiology, 320-321  
  vascular effects, 322  
  visceral effects, 324-325
- LISTSERV, 605-614**
- Liver transplantation, opioid narcotic analgesic effects on, 71
- Lorazepam, for pain, 122
- Lower extremity blocks, for pain control in ICU, 86-87
- Lyme disease, 400-401
- Mailing lists, accessing of, 595-596
- Malaria, 401
- Markov models, 658-660
- Mask barotrauma, 430
- MAUD, 568-570
- Mechanical ventilation, withdrawal of, following cardiac bypass surgery, 525
- Medicaid data file, 624
- Medicare Provider Analysis Review (MEDPAR), 621, 624
- Medline resources, at bedside, 568
- Meningoencephalitis, primary amebic, 402
- Meperidine, in pain management, 65-66  
  in pediatric ICU, 191
- Metabolism, drug, in pain management, 61-62
- Methadone, in pain management, in pediatric ICU, 192
- Midazolam, for pain, 122
- Middle-ear barotrauma, 430-431
- Mitral stenosis, pregnancy and, 222-223
- Monge's disease, 276-277
- Morphine, in pain management, 64  
  in pediatric ICU, 190-191
- Mortality probability model II (MPM II), 637
- Muscle injury, in rhabdomyolysis, mechanisms of, 415-416
- Musculoskeletal system, electrical and lightning injuries effects on, 325
- Myocardial damage, electrical and lightning injuries and, 323-324

- Myocardial infarction, pregnancy and, 224  
 Myocardial ischemia, opioids and, 90  
 Myohemoglobin, direct nephrotoxic effects of, 417-418
- Naegleria, 402
- National minimal ICU datasets, 623, 628
- Near drowning, 281-296  
   aspiration of freshwater or saltwater fluid, 283-284  
   definitions associated with, 281-282  
   epidemiology, 283  
   ethical basis of decision-making for physicians providing care for victims of submersion accidents, 292  
   management, 286-290  
     in emergency center, 287-288  
     in ICU, 288-290  
     resuscitation at scene, 286-287  
   neurologic injury due to, 286  
   outcomes following, 290-292  
   pathophysiology, 283-286  
   prevention, 292-293  
   prognosis, 290-292  
   respiratory system effects of, 284-285
- Neuroendovascular therapy, for traumatic injuries of extracranial cerebral arteries, 795-797
- Neurohormonal changes, perioperative, afferent mechanisms responsible for, 22-24
- Neuroimaging, in vertebrobasilar circulation ischemia, 725-727
- Neurologic injury, near drowning and, pathophysiologic basis of, 286
- Neuromuscular blockers, for pain, 131-136
- Newsgroups, accessing of, 595-596
- NSAIDs. *See Anti-inflammatory drugs, nonsteroidal (NSAIDs).*
- Numerical scales, in subjective evaluation of pain, 43
- Nursing informatics, 563-576  
   access to information resources, 567-568.  
     *See also under Information resources.*  
   and critical care medicine, 571-574  
   and expert systems, 566-567  
   and nursing management, 570-571  
   defined, 564  
   model-based decision support systems, 568-570  
   progress in, barriers to, 565-566
- Nursing management, nursing informatics and, 570-571
- Nutritional support of hypermetabolic response to burn, 341
- Objective pain behaviors, evaluation, 46-47
- Observational outcomes studies, in critical care, 616-618
- Obstetric patients, pain management in, 201-228
- Opioid(s), and gastrointestinal tract, 92-93  
   and hemodynamic instability, 90-91  
   and myocardial ischemia, 90  
   and respiratory system, 91-92  
   epidural, for pain, 159-163  
   for pain, 62-66, 89-93  
     fentanyl, 65  
     hydromorphone, 66  
   in pediatric ICU, 188-192  
     codeine, 191  
     fentanyl, 191  
     mechanisms of action of, 188-189  
     meperidine, 191  
     methadone, 192  
     morphine, 190-191  
     side effects, 189-190  
   meperidine, 65-66  
   morphine, 64  
   for trauma, 173  
   in ICU patients, risks of, 69-71  
   intrathecal, during labor and delivery, 210-212  
   for pain, 106-108
- Otic barotrauma, 430-431
- Outcome assessment, severity scoring and, 633-646. *See also Severity scoring, and outcome assessment.*
- Outcome measurements, large-scale databases in, 615-631. *See also Large-scale databases, in outcome measurements.*
- Pain, 1-16  
   analgesia for, 10-13  
   adjuncts to, 119-141  
   monitoring sedation levels, 120-121  
   neuromuscular blockers, 131-136  
   optimum level of sedation, 119-120  
   preemptive, 146-147  
   anxiolytics for, 121-122  
   assessment, 186-187  
     in pediatric ICU, 186-187  
     retrospective of, 2-4  
   behaviors associated with, objective, 46-47  
   benzodiazepines for, 122-123  
   causes, 1-2  
   control of, in ICU, regional anesthesia techniques for, 77-88. *See also Anesthesia/anesthetics, regional, for pain control in ICU.*  
   inadequate, reasons for, 145-146  
   epidural analgesia for. *See Epidural analgesia.*  
   factors influencing, 4-5  
   in children, 45  
   in critically ill patients, evaluation, 35-54

- EEG in, 48-49
- objective, 45-49
- objective pain behaviors in, 46-47
- patient history in, 40-41
- physical examination in, 45
- rational approach to, 50-51
- significance of, 37-38
- sources of, 36-37
- subjective, 40-45
  - assessment tools in, 41-45
  - visual analog scales in, 47-48
  - vital signs in, 46
- inflammatory states and, 6-7
- intrathecal analgesia for, **105-118**
- intravenous analgesia for, **89-104**
- levels of, 35-36
- management, 49-50
  - and pulmonary dysfunction, **151-166**.  
See also *Pulmonary dysfunction, pain and*.
- in critically ill obstetric patients, **201-228**
  - anticoagulation therapy, 217-218
  - aspirin, 218
  - coagulopathy and central nervous blockade, 216-218
  - combined spinal-epidural analgesia, 212-213
  - continuous spinal analgesia, 213
  - disseminated intravascular coagulation, 217
  - epidural analgesia, 207-210
  - heparin, 217-218
  - intrathecal opioids, 210-212
  - patient-controlled epidural analgesia, 213-214
  - patient-controlled intravascular analgesia, 214
  - postoperative pain relief, 215-216
  - thrombocytopenia, 216-217
- in pediatric ICU, **185-200**
  - behavioral techniques, 187-188
  - non-pharmacologic techniques, 187-188
  - NSAIDs, 192-194
  - opioids, 188-192
  - preoperative medications, 188
  - preoperative strategies, 187
- pharmacodynamic considerations in, 59
- pharmacokinetic considerations in, 55-75
  - absorption, 60
  - distribution, 60-61
  - elimination, 61-62
  - metabolism, 61-62
  - opioid narcotic analgesics, 62-66
  - pharmacokinetic modeling, 56-59
  - physiologic changes, 60-62
  - routes of administration, 66-69
  - retrospective of, 2-4
  - opioids for. See *Opioid(s)*.
  - perception of, behavior due to, factors affecting, 38-39
  - physiologic consequences of, 4-7
  - post-thoracotomy, 162-163
  - propofol for, 123-124
  - psychophysiology of, 4-5
  - sedatives for, 121-122
  - surgical stress and, 5-6
  - traumatic injury and, treatment, 161-162
- Pain relief, for nonobstetric problems, 218-220
  - in sickle cell disease, 220
  - postoperative, in critically ill obstetric patients, 215-216
- Papaverine, for aneurysmal vasospasm, 694-695
- Paravertebral block, for pain control in ICU, 82-83
- Passive external rewarming, for accidental hypothermia, 244
- Patient-controlled analgesia, epidural, during labor and delivery, 213-214
  - for pain, 147
  - in pediatric ICU, 194-195
  - intravenous, for trauma, 172-173
- Patient-controlled intravascular analgesia, during labor and delivery, 214
- Pediatric ICU, pain management in, **185-200**. See also *Pain, management, in pediatric ICU*.
- Pediatric Intensive Care-LIST (PICU-L), 608
- Pelvic fractures, intrathecal and epidural analgesia for, 115-116
- Performance data, 622, 627
- Perioperative neurohormonal changes, afferent mechanisms responsible for, 22-24
- Peripartum cardiomyopathy, pregnancy and, 224-225
- Physiologic monitoring, computerized, **547-562**. See also *Computerized physiologic monitoring*.
- Plague, 402-403
- Point-of-care testing, **577-591**
  - analyzers in, 578-580
  - equipment in, 578-580
  - implementation of point-of-care interface in, 586-587
  - in central or clinical laboratory, 578
  - informatics in, 580-581
  - integration at monitored beds, 587-589
  - interfacing with laboratory/hospital information system, 583-584
  - laboratory data and data management in, 582-583
  - monitors in, 578-580
  - philosophy in, 580

- Point-of-care testing (*Continued*)  
 physicians orders and, 581-582  
 politics of interfacing in, 586  
 regulatory issues associated with, 589-590  
 technical aspects of interfacing in, 584-586
- Poisoning, carbon monoxide, 297-317. See also *Carbon monoxide poisoning*.
- Postoperative pain relief, during labor and delivery, 215-216
- Postoperative pulmonary dysfunction, 151-157
- Post-thoracotomy pain, 162-163
- Pregnancy, aortic stenosis and, 223-224  
 cardiac disease and, 220-225  
 mitral stenosis and, 222-223  
 myocardial infarction and, 224  
 peripartum cardiomyopathy and, 224-225  
 pulmonary hypertension and, 221-222
- Prickly heat, 256
- Primary amebic meningoencephalitis, 402
- Private insurance claims, 624-625
- Propofol, for pain, 123-124
- Prospective cohort data, 623, 628
- Pulmonary barotrauma, 430
- Pulmonary disorders, altitude-related, 265-280. See also under *Altitude, high*.  
 acute mountain sickness, 272-273  
 HAPE, 273-276  
 high-altitude bronchitis, 276
- Pulmonary dysfunction, anesthesia effects on, 156  
 diagnostic criteria, 153-154  
 diaphragmatic dysfunction, 154-155  
 incidence, 153  
 pain and, 151-166  
 analgesic techniques, 157-159  
 pathophysiology, 151-153  
 physiologic aberrations in, 153  
 postoperative, 151-157. See also under *Postoperative pulmonary dysfunction*.  
 risk factors for, 155  
 site of surgery and, 155-156
- Pulmonary edema, high-altitude, 273-276. See also *High-altitude pulmonary edema (HAPE)*.  
 immersion, 447
- Pulmonary function tests, effect of  
 analgesic therapy on, 157
- Pulmonary hypertension, pregnancy and, 221-222
- Pulmonary system, accidental  
 hypothermia effects on, 239  
 altitude effects on, 269-271
- Quality, evaluation of, clinical  
 management database in, 483-485
- Rabies, 403
- Radiation, basic radiobiological principles of, 458-459  
 environmental, releases of, types, 459-460  
 external, clinical effects, 460-462  
 internal, clinical effects, 464-465  
 ionizing, basic physical principles of, 457-458  
 pathophysiology, 459
- Radiation injuries, 457-473  
 decontamination for, 464  
 initial responses to, 462-463  
 management, infection control, 468-469  
 principles of, 465-467  
 skin burns, 469-470  
 pathophysiology, 459
- Recompression, for gas bubble disease, 437-445
- Rehabilitation, for thermal injuries, 347-348
- Renal failure, acute, ketorolac and, 99  
 rhabdomyolysis-induced, 424-426
- Renal injury, in rhabdomyolysis, mechanisms of, 416
- Renal vasoconstriction, in rhabdomyolysis, 416-417
- Resource utilization, in clinical  
 management database, 485-487
- Respiratory system, labor and delivery  
 effects on, 201-204  
 near drowning effects on, 284-285  
 opioid effects on, 91-92
- Retrograde transvenous perfusion, 777-788  
 case studies, 785-786  
 clinical trial, 783  
 future studies, 786  
 inclusion criteria, 783  
 procedure, 784-785  
 results with, 785
- Revised Trauma Score (RTS), 637
- Rewarming methods, for accidental  
 hypothermia, 243-246
- Rhabdomyolysis, 415-428  
 causes, 424  
 clinical spectrum of, 418-424  
 electrolyte abnormalities and, 422-423  
 heatstroke and, 423-424  
 in alcoholics, 420-421  
 in exercise, 418-420  
 in infections, 421-422  
 in trauma, 418-420  
 muscle injury in, mechanisms of, 415-416  
 nontraumatic, 420  
 renal failure due to, 424-426  
 renal injury in, mechanisms of, 416  
 renal vasoconstriction in, 416-417
- Rib fractures, multiple, intrathecal and  
 epidural analgesia for, 114-115
- Rickettsia, 403-405

- Scoring systems, preprogrammed,  
availability in clinical management  
database, 492-494
- Scorpion envenomation, 377-380  
clinical manifestations, 377-378  
diagnosis, 378-379  
differential diagnosis, 378  
epidemiology, 377  
origin of, 377  
pathophysiology, 377  
prognosis, 380  
treatment, 379-380
- Secondary drowning, defined, 282
- Sedative(s), for pain, 121-122
- Serum electrolytes, accidental hypothermia  
effects on, 240
- Severity scoring, and outcome assessment,  
633-646  
accuracy of data collection, 641-642  
computerized flowcharts in, 642  
diagnostic categories and case mix,  
640  
discharge practices, 641  
lead time bias and source of referral,  
640-641  
development of, 634-637  
trauma models, 637  
uses of, 643  
validation of, 637-643
- Shock, burn, 335-336
- Sickle cell disease, pain relief in, 220
- Simplified acute physiology score II (SAPS  
II), 636-637
- Single system physiologic monitors,  
555-556
- Sinus(es), cavernous, anatomy of, 832-833
- Sinus barotrauma, 431-432
- Skin burns, following radiation injuries,  
469-470
- Sleep deprivation, treatment, 129-131
- Sleep disturbance(s), at high altitude,  
268-269
- Snake envenomation, 353-371  
epidemiology, 353-354  
origin of, 353
- Snakebite, *Crotalidae*, 354-369. See also  
*Crotalidae* snakebite.  
*Elapidae*, 369-371. See also *Elapidae* snake-  
bite.
- Spider envenomation, 372-377  
clinical diagnosis, 375  
clinical manifestations, 373-374  
diagnosis, 374-375  
differential diagnosis, 374  
epidemiology, 372  
laboratory diagnosis, 375  
origin of, 372  
pathophysiology, 372-373  
prognosis, 376-377  
treatment, 375-376
- Spinal-epidural analgesia, during labor  
and delivery, 212-213
- Standardized mortality ratios (SMRs),  
483-485
- State hospital discharge databases, 624
- Stress, surgical, pain due to, 5-6
- Stress response, analgesic influences on,  
8-9  
and perioperative neurohormonal  
changes, 22-24  
clinical thinking related to, 18-19  
following elective surgery, 19-22  
in ICU, 26-31  
modification of, 24-26  
of critical illness, 17-33
- Submersion accidents, risk factors for, 283,  
284
- Submersion injury, defined, 282
- Surgical stress, pain due to, 5-6
- Survey data, 623, 626
- Syncope, heat, 255-256
- Temperature regulation, 252-253
- Tetany, heat, 255
- Thermal injury, 333-352  
burn shock, 335-336  
clinical assessment, initial, 333-335  
complications, 346-347  
fluid resuscitation in, 336-338  
hypermetabolic response to, 340-342  
management, 342-346  
acute, 333-338  
blood products, 344-345  
hemostasis, 344-345  
intraoperative, 343-344  
new frontiers in, 349-350  
reconstructive options, 348-349  
rehabilitation, 347-348  
serial excision vs. total wound exci-  
sion, 342-343  
skin substitutes, 345  
wound care, 345-346  
nutritional response to, 341  
pharmacologic support for, 341-342
- Thoracic trauma, intrathecal and epidural  
analgesia for, 114-115
- Thrombocytopenia, during labor and  
delivery, 216-217
- Thrombolysis, carotid occlusion and, 711  
cessation of, reasons for, 713  
ICU care following, 715-716  
intra-arterial, for carotid circulation ische-  
mia, 701-718. See also *Carotid circula-  
tion ischemia, intra-arterial thromboly-  
sis for.*  
for vertebrobasilar circulation ische-  
mia, 719-742. See also *Vertebroba-  
silar circulation ischemia, intra-arterial  
thrombolysis for.*

- Thrombolysis (*Continued*)  
 intracranial angioplasty and, 711-712  
 intravenous, for carotid circulation ischemia, 707  
   for vertebrobasilar circulation ischemia, 737
- Thrombolytic agents, for deep venous thrombosis, 748  
 pharmacology, 729-730
- Transcranial Doppler ultrasonography, in aneurysmal vasospasm diagnosis, 687-699
- Transplantation, liver, opioid narcotic analgesic effects on, 71
- Trauma, analgesia for, 167-184  
 effect of choice of, 175-177  
 intravenous patient-controlled analgesia, 172-173  
 NSAIDs, 171-172  
 opioids, 173  
   regional anesthesia, 173-175  
 burns, analgesia for, 180-181  
 chest, regional analgesia and, 177-180  
 pain due to, treatment, 161-162  
 physiological impact of, 170-171  
 rhabdomyolysis in, 418-420  
 thoracic, intrathecal and epidural analgesia for, 114-115  
 to extracranial cerebral arteries, endovascular therapy for, 789-809. *See also* *Extracranial cerebral arteries, traumatic injuries of, endovascular therapy for.*
- Trauma models, 637
- Trauma-Injury Severity Score (TRISS), 637
- Trichinosis, 405
- Troubleshooting pulmonary artery catheter wave forms, 567
- Tularemia, 405-406
- Tympanic membrane, rupture of, electrical and lightning injuries and, 325
- Typhoid fever, 406
- historical perspective, 689-690  
 mechanism of action of, 694-696  
 papaverine, 694-695  
 results, 692-693  
 technique, 690-692  
 immediate angioplasty for, 694  
 pathophysiology, 686  
 transcranial Doppler and blood flow studies in, 687-699
- Venous system, cerebral, anatomy of, 743-744
- Verbal descriptor scales, in subjective evaluation of pain, 42
- Vertebral artery, anatomy of, 720-721
- Vertebrobasilar circulation ischemia, angioplasty for, 737-739  
 clinical investigations, 725-727  
 diagnosis, 723-725  
 intra-arterial thrombolysis for, 719-742  
   agents in, 729-730  
   clot location in, 735-736  
   complications, 736-737  
   length of basilar artery obstruction and collaterals in, 735-736  
   patient selection for, 727-729  
   recanalization, 731-734  
   technique, 730-731  
 intravenous thrombolysis for, 737  
 neuroimaging of, 725-727
- Vertebrobasilar system, anteroposterior view of, 720
- Vibrio sp., 406-407
- Videoteleconferencing, accessing of, 598-599
- Virtual reality modeling language (VRML), 599
- Viscera, electrical and lightning injuries effects on, 324-325
- Visual analog scales, in objective evaluation of pain, 47-48  
 in subjective evaluation of pain, 42
- Volume resuscitation, for accidental hypothermia, 242-243
- Warfarin, during labor and delivery, 217-218
- Waterborne infections, 387-414  
 causes, 392-407  
 clinical presentations, 390-392  
 epidemiology, 387-390  
 physician evaluation, 390
- Wilderness infections, 387-414  
 clinical presentations, 390-392  
 epidemiology, 387-390  
 physician evaluation, 390
- World Wide Web (WWW), critical care resources on, 600  
 described, 596-598
- Ultrasonography, transcranial Doppler, in aneurysmal vasospasm diagnosis, 687-699
- USENET, 605-614
- Vascular system, electrical and lightning injuries effects on, 322
- Vasospasm, aneurysmal, delayed ischemic neurologic deficit due to, 686-687  
 diagnosis, 686-687  
 endovascular therapy for, 685-699  
   balloon angioplasty, 695-696  
   complications, 696  
   future directions, 697

in critical care medicine, **593-604**  
accessing of, 594-595  
e-mail, 595  
file transfer protocol, 598  
future of, 600  
historical development of, 594

mailing lists, 595-596  
newsgroups, 595-596  
practical use of, 595-599  
services associated with, 595-599  
videoteleconferencing, 598-599  
virtual reality, 599